

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:58
L2	0	(monitor\$5 manag\$5 obtain\$5) same (network) same (memory near4 (usage availability)) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:23
L3	3	10/057563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:22
L4	0	(monitor\$5 manag\$5 obtain\$5) same (memory near4 (usage availability)) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:27
L5	1	(monitor\$5 manag\$5 obtain\$5) same (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
L6	1	(memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:26
L7	0	(monitor\$5 manag\$5 obtain\$5) with (memory) with (temperature) with CPU with (fan) with (card slot) with (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:27
L8	2	09/860995	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:45
L9	6	"709"/\$.ccls. and (monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
L10	1	"707"/\$.ccls. and (monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
L11	0	"707"/\$.ccls. and (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10

L12	1	"707"/\$.ccls. and (memory) and (temperature) and CPU and (fan near4 speed) and (card slot)and (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:11
S70	6630	(finite adj state adj machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:50
S71	2	(finite adj state adj machine) and ((content-enabled) (content-independent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 17:03
S72	158	(finite adj state adj machine) and (load near3 (balanc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:30
S73	56	("L4" and "L5" and "L6" and "L6") near5 (request connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:37
S74	1271	(PE near3 CAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38
S75	0	(PE near3 CAM) near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38
S76	1	(PE near3 CAM) near3 BSI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38
S77	10	("20030115337"   "20030140124"   "5948069"   "6018516"   "6044468"   "6091733"   "6195703"   "6247060"   "6298280"   "6629195").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:22
S78	0	(hierarchical near5 Server near5 resources) and (loading near3 information) and (loading near4 policy) and (schedul\$5 near5 policy) and (server near4 (history propert\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:28
S79	3	(hierarchical near5 Server near5 resources) and (server near4 (history propert\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:28
S80	0	(hierarchical near5 (arrangement fashion array) near5 Server near5 resources) and (server near4 (history propert\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:30
S81	3	(hierarchical near5 (arrangement fashion array) near5 Server near5 resource)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:38
S82	0	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource) same (load near5 balancing near5 plocy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:40
S86	4	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource) same (load near5 balancing near5 policy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:45

S87	27	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource)and (load near5 balancing near5 policy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:42
S88	75	((content-enabled) (content-independent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 17:03
S89	3	((content-enabled) (content-independent)) near5 (service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 07:40
S90	2	"6728748".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 07:40
S91	7	("5893905"   "5951694"   "6279001"   "6330602"   "6411936"   "6424992"   "6453468").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 07:45
S92	14	(load near5 balancing near5 policy) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:07
S93	257	(policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:39
S94	69	(policy near4 engine) and ((data adj structure) (MIB)) and (service near5 (category class))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 08:14
S95	3	(content near4 based) near5 (load near5 balanc\$5) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:41
S96	4	(content near4 based) near5 (load near5 balanc\$5) and (policy near4 engine)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:43
S97	1	"6728748".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:42
S98	22	(content near4 based) adj3 (load near5 balanc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:59
S99	0	(brendal) and (Barot.XP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S10 0	0	(brendal) and (Barot.AP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S10 1	0	(brendal) and (LAL.AP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S10 2	0	(brendal) and (LAL.XP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S10 3	0	(brendal) AND (SERVER ADJ3 FARM)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S10 4	13	(brendal)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:01

S10 5	14	(load near5 balancing near5 policy) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:08
S10 7	24	(load near5 balancing near5 policy) and (server adj3 farm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:29
S10 8	25	(allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (policy near4 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:34
S10 9	202	(allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (load near4 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:35
S11 0	28	709/226.ccls. and (allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (load near4 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:13
S11 1	308	(henry and fang)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:14
S11 2	16	(henry near3 fang)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:15
S11 3	34	(henry near3 fung)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:34
S11 4	2	"6697963".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:31
S11 5	7	(monitor\$5 manag\$5 obtain\$5) same(location) same (based specific) same (network) same(device) same (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:42
S11 6	58	(monitor\$5 manag\$5 obtain\$5) near5 (network) near5(device) near5 (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:27

S11 7	0	(MIB) same (block parameter) same(memory near4 (load usage availability)) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:34
S11 8	0	(MIB) same(memory near4 (load usage availability)) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:34
S11 9	0	(MIB) same(memory) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:35
S12 0	1	(MIB) same(memory) same (chassis near4 temperature) same (CPU) same (fan) same ((module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:35
S12 1	1	(MIB) same(memory) same (chassis near4 temperature) same (CPU) same (fan) same ((module card)) same (power near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:35
S12 2	31	"709"/\$.ccis. and (monitor\$.manag\$.obtain\$. near5 (network)near5(device) near5 (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 14:14
S12 3	2	"6642946".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:42
S12 4	1	10/848897 and thompson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:43